



COMPANY PROFILE

Durrat Al Sharq International Trading Co.

📍 Building No.7 3 3 9 - Street- 21
Al -Amamrah Dist. - Postal Code 32415
Dammam - Kingdom of Saudi Arabia
✉ Sales@durrat.org - accounts@durrat.org.







Company Overview:

Durrat Al Sharq International Trading Company is a leading firm specializing in high-quality carbon steel and stainless steel pipes, valves, flanges, and pipe fittings. With a strong global presence, we've expanded our operations to Dammam, Saudi Arabia, catering to the growing demands of the region.

Vision

To become a trusted and preferred partner for industries worldwide, delivering exceptional quality products and unparalleled customer service, while fostering long-term relationships built on integrity, innovation, and excellence.

Mission

Our mission is to provide top-grade steel products that meet international standards, ensuring timely delivery, competitive pricing, and outstanding customer support. We strive to exceed customer expectations, drive growth, and contribute to the development of the industries we serve.

Values

Quality: We prioritize delivering high-quality products that meet or exceed international standards.

Integrity: We conduct business with transparency, honesty, and ethics, building trust with our customers and partners.

Innovation: We stay ahead of the curve, embracing new technologies and trends to improve our products and services.

Customer-centricity: We focus on delivering exceptional customer experiences, tailoring our services to meet specific needs.

Products and Services:

Steel Products:

- Carbon Steel Pipes
- Stainless Steel Pipes
- Valves
- Flanges
- Pipe Fittings

OUR PRODUCTS



PIPES



PIPE FITTINGS



FLANGES



BRANCH OUTLETS



VALVES



HAMMER UNION



GROOVED FITTINGS



GI & MI FITTINGS



SPECIAL ITEMS



CUSTOM FABRICATION ITEMS



PIPE FITTINGS



FLANGES

OUR PRODUCTS



BRANCH OUTLETS



VALVES



HAMMER UNION



GROOVED FITTINGS



GROOVED FITTINGS



GROOVED FITTINGS



GROOVED FITTINGS



GI & MI FITTINGS



GI & MI - 2



GI & MI - 3



GI & MI - 4



MI GI PIPE OVER FITTINGS



PIPES

SS. CS - PIPE FITINGS

PRODUCT TYPE	SIZE (RANGE)	MATERIALS GRADE & STANDARD SPECIFICATIONS
CARBON STEEL / FERRITIC/ALLOY-STEEL SEAMLESS & WELDED PIPES (SRL & DRL)	SEAMLESS 1/4" TO 24" ERW PIPES 1" TO 24" EFW, SAW24" - 120" (LSAW OR SPW)	ASTM A/SA53 GR B, ASTM A/SA106 GR B, ASTM A/SA333 GR.1/GR.6, ASTM A/SA671GR.C60/65/70, ASTM A/SA672GR.C60/65/70 ASTM A/SA691 CM65 / 70 / 75 / 1CR / 5CR / 9CR ASTM / ASME SA 335 GR.P1-P92 API 5L GR.B (PSL1)- X42, X52, X56, X60, X70, X80 API 5L GR.B (PSL2)- X42, X52, X56, X60, X70, X80 EN 10025 S275, S355
FERRITIC/AUSTENITIC STAINLESS STEEL/ DUPLEX/SUPER DUPLEX PIPES (SRL & DRL)	1/2" - 24" Seamless EFW 1" - 60"	ASTM / ASME SA 312 GR. TP 304, 304L, 316, 316L, 321, 347 ASTM / ASME SA 358 GR. TP 304, 304L, 316, 316L, 321, 347 ASTM A790 JIS: G3459 G3446 G3447 G3448 G3459 G3463 G3468 DIN: 17455 17456 17457 17458 17459 2391 2462 EN: 10216-5 10217-7 UNS31803; UNS32750/ UNS08904L, TP410/TP410S
GI & MS PIPES	1/2" - 40"	ASTM A/SA53, ASTM A/SA106 ASTM A500 EN 10025 S275, S355





PIPE FITTINGS

PRODUCT TYPE	SIZE (RANGE)	MATERIALS GRADE & STANDARD SPECIFICATIONS
WROUGHT CARBON STEEL, LOW ALLOY STEEL & FORGED FITTINGS (ELBOW LR/SR, EQ. / UN EQ./REDUCING TEE, RETURN BENDS, CONC./ECC. REDUCERS,STUB END, NIPPLES, BUSHING, PLUG)	1/4"-24" (SEAMLESS) 1/4" -6" (FORGED) 26"-96"(WELDED)	ASTM A/SA 234 WPB/WPC, ASTM A/SA420WPL6, ASTM A/SA105, ASTM A/SA350LF2 ASTM A860 WPHY 42/46/52/60/65/70
WROUGHT AUSTENITIC STAINLESS STEEL PIPE FITTINGS	1/4"-24" (SEAMLESS) 1/4" -6" (FORGED) 26"-96"(WELDED)	ASTM A/SA182 F304/304L/F316/316L, F9,F11, F22/ F52/F91/F92/F321 ASTM A/SA403 WP 316/316L
GI & MS PIPES	1/2" - 40"	ASTM A/SA53 , ASTM A/SA106 ASTM A500 EN 10025 S275, S355





FLANGES

PRODUCT TYPE	SIZE (RANGE)	MATERIALS GRADE & STANDARD SPECIFICATIONS
CARBON STEEL, LOW ALLOY STEEL	1/2"-60"	ASTM A/SA105,ASTMA/SA350LF2
STAINLESS STEEL, ALLOY STEEL	1/2"-60"	ASTM A/SA182 F304/304L/F316/316L, F9,F11, F22/ F52/F91/F92/F321



BRANCH OUTLETS



PRODUCT TYPE	SIZE (RANGE)	MATERIALS GRADE & STANDARD SPECIFICATIONS
CARBON STEEL, LOW ALLOY STEEL (WELDOLET, THREDOLET, SOCKOLET, FLANGOLET, SWEEPOLET,ELBOWLET)	1/2"-48"	ASTM A/SA105,ASTMA/SA350LF2 F52/F91/F92/F321, UNS32750
STAINLESS STEEL, ALLOY STEEL	1/2"-60"	ASTM A/SA182 F304/304L/F316/316L, F9,F11, F22/





VALVES

PRODUCT TYPE	SIZE (RANGE)	MATERIALS GRADE & STANDARD SPECIFICATIONS
CARBON STEEL FORGED	½" & ABOVE (150# - 2500#)	ASTM A/SA105, ASTM A/SA350LF2, WITH WIDE RANGE OF TRIM MATERIALS
CARBON STEEL CASTING	2" & ABOVE (150# - 2500#)	ASTM A/SA216 WCB, WITH WIDE RANGE OF TRIM MATERIALS
STAINLESS STEEL FORGED	½" & ABOVE (150# - 2500#)	ASTM A/SA182 WITH WIDE RANGE OF TRIM MATERIALS
STAINLESS STEEL CASTING	2" & ABOVE (150# - 2500#)	ASTM A/SA351 WITH WIDE RANGE OF TRIM MATERIALS



BALL VALVES



BRASS AND NYLON BALL VALVES

Application: Water, compressed air, oils, non corrosive fluids and hydrocarbons in general
 Size range: 8mm to 100mm
 Pressure range: Up to 50 bar depending on the size
 Construction: Nickel plated brass
 Temperature range: -20°C to 150°C



FIRE SAFE BALL VALVES

Application: Process, chemical, natural gas and petrochemical where firesafe operation is really important
 Size range: 15mm to 750mm
 Pressure range: ANSI 150 up to ANSI 1500
 DIN PN16 to PN40
 Construction: Body: Carbon steel, stainless steel, Exotic Materials
 Ball: Stainless Steel or Exotic Materials
 Seats: PTFE and other special material on request
 End connections: Flanged



BALL VALVES

Application: General and process industry
 Size range: 8mm to 250mm
 Pressure range: 1 piece up to 70 bar
 2 piece up to 50 bar
 3 piece up to 80 bar
 Note: pressure depends on size and temperature
 Construction: Body: Carbon steel, stainless steel
 Seats: PTFE
 1 piece: screwed
 2 piece: flanged
 3 piece: screwed and/or socket weld ends
 3 way: T port and L port



STRAINERS

Application: All strainer requirements including Y and T strainers
 Size range: 6mm to 600mm
 Pressure range: Up to ANSI 900
 Construction: Carbon steel, stainless steel, bronze and exotic materials
 End connections: Flanged, butt weld, socket weld and screwed



HAMMER UNION



We offer a full line of high quality Hammer Unions. We provide Unions ranging from 1" to 12" and can handle pressures up to 15000 psi CWP (cold working pressure). Available with line pipe, butt-weld or socket weld connections, our unions are interchangeable with other name brand manufacturers that adhere to industry standards.

To ensure customer satisfaction, our Unions come with full trace-ability and are manufactured from the highest quality raw materials. In addition, they meet API 6A and API 16C requirements, as well as NACE-MR-01-75 (sour gas service).

Size Inches	Nut Radius Inches	Length Total Inches	Pressure Rating (PSI)				Weight(LBS) (Approx.)
			Standard Service		Sour Gas Service		
			Cold Working	Test	Cold Working	Test	
2	3.54	5.13	4,000	6,000	4,000	6,000	12.46
3	4.17	6.14	4,000	6,000	4,000	6,000	20.13
4	5.04	8.18	4,000	6,000	4,000	6,000	31.24
5	6.70	11.10	2,500	4,000	2,500	4,000	49.60
6	7.70	11.40	2,500	4,000	2,500	4,000	63.47
12	10.26	10.90	2,500	4,000	2,500	4,000	164.90



GROOVED FITTINGS



GI & MI FITTINGS



GI & MI



GI & MI - 2



GI & MI - 3



**MI GI PIPE
OVER FITTINGS**

CUSTOM FABRICATION ITEMS

We design and makes custom products according to your requirement.
Our experts can give you the best quality products in time.



CUSTOM - 2



CUSTOM - 3



CUSTOM - 1

CUSTOM FABRICATION ITEMS



CUSTOM - 4




CUSTOM - 5

CUSTOM FABRICATION ITEMS




CUSTOM - 6



CUSTOM - 7

CUSTOM FABRICATION ITEMS



CUSTOM - 8



CUSTOM - 9

CUSTOM FABRICATION ITEMS




CUSTOM - 10



CUSTOM -11

CUSTOM FABRICATED ITEMS



INDUSTRIES WE SERVE




OIL & GAS



**SEWAGE &
WATER TREATMENT**



**SEA PORT
CONSTRUCTION**



**BUILDINGS &
INFRASTRUCTURE**



MARINE



**UTILITIES
PLANTS**

GOVERNMENT APPROVILE CERTIFICATE

الرقم الموحد : ٧٠٤٨٩١٢٥٥٩
رقم المنشأة : ٢٠٥٠٢١٥٠٥١
التاريخ : ١٤٤٦/٠٨/١٢ هـ

شهادة تسجيل الشركة Company Registration Certificate

وزارة التجارة
Ministry of Commerce

الاسم التجاري للشركة : شركة درة الشرق العالمية للتجارة
نوعها : ذات مسئولية محدودة
سدة الشركة : ٩٩ سنة
مركزها الرئيسي : ٧٤٤٦ ، طريق الملك عبدالعزيز ، ٤٧٥٩
هاتف : ٣٤٤٤١ الرمز البريدي :
النشاط : للاطلاع على بيانات الأنشطة الرجاء مسح الرمز التجاري
رأس المال : ٣٠٠٠٠٠٠٠٠ ريال سعودي
المديرون : 1. فارغيس كولتغوتو فارغيس

جنسيته : سعودي
تبدأ من : ١٤٤٦/٠٨/١٢ هـ وتنتهي في : ١٥٤٥/٠٨/١٣ هـ

ص. ب :
ملكية الشركة : اجنبية

سلطات المدير/المديرون : حسب ما نص عليه عقد الشركة

يشهد مكتب السجل التجاري بمدينة : الدمام
وتنتهي صلاحية الشهادات في : ١٤٤٧/٠٨/١٢ هـ
بأن تم تسجيل الشركة المذكورة أعلاه بمدينة : الدمام
بموجب الإيصال رقم : ٢٥٠٢٢٤٥٠١٢٨٨
وتاريخ : ١٤٤٦/٠٨/١٢ هـ

To Verify The Information Of This Certificate Visit <http://ar.mc.gov.sa> يمكنكم التحقق من صحة هذه الشهادة بالدخول على
+966 11 294 4444 | الرياض 11162 Kingdom of Saudi Arabia | المملكة العربية السعودية | www.mc.gov.sa MCgovSA @ f i v

Proof Number 1070604142 رقم الإثبات
Original Date 25/8/2025 تاريخ الإصدار
Expiration Date 31/1/2026 تاريخ الانتهاء

العنوان الوطني NATIONAL ADDRESS

إثبات عنوان Address Proof

Address Holder Details بيانات صاحب العنوان

Name: شركة درة الشرق العالمية للتجارة الاسم
Customer Acc: 3 1 3 3 3 1 7 2 9 3 6 5 رقم الحساب
Reg. Date: 25/8/2025 تاريخ التسجيل

Address Details تفاصيل العنوان

Short Address: E M A A 7 3 3 9 العنوان المختصر
Building No. Street رقم المبنى الشارع
7 3 3 9 21 21 7 3 3 9
Secondary No. District الرقم الفرعي الحي
3 2 3 7 Al Amamrah Dist. حي العمارة
Postal Code الرمز البريدي
3 2 4 1 5
City المدينة
DAMMAM الدمام
Kingdom of Saudi Arabia المملكة العربية السعودية

To Verify للتحقق
<https://proof.address.gov.sa/VerifyProofNA.aspx>

تم إصدار هذا الإثبات الإلكتروني ولا يتطلب التوقيع عليه
تم إصدار هذا الإثبات بناء على طلب الموضح أعلاه، ويحظر قطعياً تقليده أو إدخال أي تعديلات عليه سواء بالإضافة أو الحذف، وبعد الإثبات لنبدأ إذا شابه
شيء من ذلك، كما يحظر صاحبه للمساءلة القانونية.

This proof has been issued electronically and does not require a signature
This proof has been issued upon the request of the above-named, and it is absolutely prohibited to imitate it or make any modifications to it, whether
by addition or deletion, and the proof is considered void if it is marred by something, and its owner is subject to legal accountability.

19992 <https://spnline.com.sa/ar/national-address->
ps://proof.address.gov.sa/Default?QAccountNumber=31331729365&QServiceNo=21032916059&printType=c

TN 3128601505 الرقم الضريبي
Certificate No. 180251133459782 رقم الشهادة
Certificate date 11/03/2025 تاريخ الشهادة

شهادة تسجيل في ضريبة القيمة المضافة VAT Registration Certificate

هيئة الزكاة والضريبة والجمارك
Zakat, Tax and Customs Authority
المملكة العربية السعودية
Kingdom of Saudi Arabia

تشهد هيئة الزكاة والضريبة والجمارك بأن المعلن أدناه مسجل في ضريبة القيمة المضافة بتاريخ 11/03/2025 م
The Zakat, Tax and Customs Authority certifies that taxpayer below is VAT registered on 11/03/2025 AD

Taxpayer Name	شركة درة الشرق العالمية للتجارة	اسم المعلن
VAT Registration Number	31286015050003	رقم التسجيل الضريبي
Effective Registration Date	20250401	تاريخ نفاذ التسجيل
Taxpayer Address	3661 الدمام، طريق الملك عبدالعزيز	عنوان المعلن
CR / License	205015051	رقم السجل التجاري
Contact / ID No		رقم الرخصة / العقد / الهوية
Tax Period	Quarter - ربع سلوي	الفترة الضريبية
First Filing due date	20250731	تاريخ استحقاق أول إقرار ضريبي

ملاحظة: مختلفين مسجلين في ضريبة القيمة المضافة، لا يجوز لهم تحميل ضريبة القيمة المضافة من عملائهم قبل تاريخ نفاذ التسجيل في الضريبة. وفي حال تبين غير ذلك ستقوم هيئة الزكاة والضريبة والجمارك بتلقيد القرامات المستحقة.

Note: As a VAT registered taxpayer, you are not allowed to collect VAT from your customers prior to the effective date of the tax registration, if otherwise approved. The ZAKAT Tax and Customs Authority will impose the applicable penalties.

ضريبة القيمة المضافة
VAT

zатca.gov.sa 19993 @zатca_@sa

هذه الوثيقة مستخرجة من النظام الآلي ولا تحتاج إلى توقيع
و لا يحدو منه الشهادة، إذ بعد التحقق من موقع الوثيقة
www.zatca.gov.sa



شركة درة الشرق العالمية للتجارة



📍 Building No.7 3 3 9 - Street- 21
Al -Amamrah Dist. - Postal Code 32415
Dammam - Kingdom of Saudi Arabia

✉ Sales@durrat.org - accounts@durrat.org

🌐 www.durrat.org

📍 رقم المبنى ٧٣٣٩ - شارع ٢١
حي العمارة - الرمزي البريدي ٣٢٤١٥
الدمام - المملكة العربية السعودية